



Masked Owl. Photo S Castan

PLEASE... DON'T MAKE MY DINNER A HEALTH HAZARD!

SOME OF THE MOST COMMON RAT BAITS ARE LETHAL TO MASKED OWLS AND OTHER WILDLIFE THROUGH 'SECONDARY POISONING' FROM THEIR BAITED PREY.

- > USE traps rather than baits to control rats and mice without harming wildlife.
- > USE only the less harmful baits containing the active ingredient coumatetralyl (e.g. Racumin) or warfarin and carefully follow package instructions.
- > DO NOT USE 'second generation anticoagulant rodenticides' with difenacoum, brodifacoum, bromadiolone or difethialone.
- > Take great care with storing and placing baits so that pets and wildlife such as possums in your garden can't reach them.
- > Live traps rather than lethal traps enable release of any unintended wildlife captures.



OWL FRIENDLY MARGARET RIVER REGION

"MAKING THE AUGUSTA MARGARET RIVER REGION A SAFE HAVEN FOR OWLS AND OTHER WILDLIFE FROM RODENTICIDE POISONING"

WWW.OWLFRIENDLY.ORG.AU
f /OWLFRIENDLYMARGARETRIVER

Proudly supported by
Community Bank
Augusta & Districts

B Bendigo Bank